



DESIGN INTENT



ANGLE IRON RESTRAINT
SCALE: 3"=1'-0"



FORMED CHANNEL RESTRAINT
SCALE: 3"=1'-0"

ASTM E-119 SILL DETAIL - 120 MIN WALL RATED FIRE GLASS BLOCK AT CMU WALL

NOTE:
USE OF A MASONRY OR CONCRETE CHASE, ANGLE IRON OR FORMED CHANNEL RESTRAINT REQUIRED TO CONFORM WITH ASTM STANDARD

	PROJECT		
	ASTM E-119 WALL RATED DETAIL		
	TITLE		
	SILL - 120 MIN WALL RATED FIRE GLASS BLOCK AT CMU WALL		
SCALE	DWG. NO.	REV	
3"=1'-0"	FR-133	0	
BY	DATE	SHEET	
MAI	06/01/2022	1	

CONFIDENTIAL – PROPRIETARY THESE DRAWINGS WERE CREATED BY AND REMAIN THE PROPERTY OF SEVES GLASS BLOCK INC. UNAUTHORIZED DISCLOSURE, DISTRIBUTION OR COPYING OF THESE DRAWINGS IS STRICTLY PROHIBITED. THE FOLLOWING DETAILS ILLUSTRATE DESIGN INTENT; VARIATIONS MAYBE ACCEPTABLE. PLEASE CONTACT SEVES GLASS BLOCK TECHNICAL DEPARTMENT FOR FURTHER CONSULTATION.