

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013848-R5
DATE: 09/21/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Seves Glass
CODE: 2322-1
REVISION DATE: 11/11/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Seves Glass Block s.r.o Bilinská 782/42 Duchcov, 419 01, Czech Republic	"12" x 12" x 4" Premiere ®" Glass Block Assembly Configuration: O Glazing: 4" Thick Premiere ® Glass Block Panels Frame: W-1219mm (48") H-1219mm (48") Block Size: W-298mm(11.75") H-298mm(11.75")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±5746 Pa (120 psf) Small Missile Impact Rated

Product Tested By: Architectural Testing, Inc.
Report No: 66795.02-109-18
Expiration Date: September 30, 2029

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com