NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: DATE: CERTIFICATION PROGRAM: COMPANY: CODE: REVISION DATE:	NI013848.02-R5 09/21/2017 Structural Seves Glass 2322-1 11/11/2024
	DATE: CERTIFICATION PROGRAM: COMPANY: CODE:

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Seves Glass Block s.r.o	"8" x 8" x 3" VISTABRIK ®"
Bilinská 782/42	Glass Block Assembly
Duchcov, 419 01, Czech Republic	
	Configuration: O Glazing: 288" Thick VISTABRIK ® Glass Block Panels Frame: W-1219mm (48") H-2438mm (96")
	Block Size: W-194mm(7.63") H-194mm(7.63")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±3830 Pa (80 psf) Small Missile Impact Rated

Product Tested By: Report No: Expiration Date: Architectural Testing, Inc. 66795.02-109-18 **September 30, 2029**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com

NOPC-03/30/2023